

### The Problem



50%

of people taking chronic medication stop taking it in the first year, with the biggest drop-off occurring in **the first month**  \$50 Billion of chronic injectables Medications are self administered in the home

Why do they stop?

Feel worse

**Feel better** 


Wrong dose

**Forget** 

Wrong treatment



## Stats: Chronically Well of the USA



Note: Increments in years are uneven. Lighter bars indicate projections. Source: U.S. Census Bureau, Population Estimates and Projections. 56,400,000 (15%)

>over the age of 65

36,600,000 (65%)

> living with 3 Chronic Diseases



#### Chronic Diseases – Can now be treated in the home



Complex
Conditions can
Treated in the
home

- ✓ Rheumatoid Arthritis
- ✓ Multiple Sclerosis
- ✓ Crohns Disease
- ✓ Severe Asthma
- ✓ Diabetes
- ✓ Severe Migraines
- ✓ Cardiovascular
- ✓ Rare Diseases
- ✓ Oncology



## What does this mean: Chronically Well We are asking for more from our ageing population





Might lead to confusion:

What Disease?
How to take it?
Why does it work?
When?



## We connect high consequence medications

•





## Injection Care Management System





## Our Competition












## Connected their Home Sharps Bin






#### Tech (Connected Device) + Touch (Data Driven Intervention)

HealthBeacon Intervention Hierarchy improves adherence



# Evidence from HB Peer Reviewed Studies on Patient Adoption and Predictive Machine Learning Capability

## 2x Adoption Rates



## System 86% Predictive




Fig. 7: ROC curve for performance on the testing set (AUC = 0.86).







Company Confidential Copyright © 2019 HealthBeacon Limited. All Rights Reserved.